

# Foundations of Artificial Intelligence

## 7. Propositional Logic

Rational Thinking, Logic, Resolution

Wolfram Burgard, Bernhard Nebel, and Martin Riedmiller



Albert-Ludwigs-Universität Freiburg

May 23, 2012

## Contents

- 1 Agents that Think Rationally
- 2 The Wumpus World
- 3 Propositional Logic: Syntax and Semantics
- 4 Logical Entailment
- 5 Logical Derivation (Resolution)

## Agents that Think Rationally

- Until now, the focus has been on agents that **act rationally**.
- Often, however, rational action requires **rational** (logical) **thought** on the agent's part.
- To that purpose, portions of the world must be represented in a **knowledge base**, or **KB**.
  - A KB is composed of sentences in a language with a truth theory (logic), i.e., we (being external) can **interpret** sentences as **statements** about the world. (**semantics**)
  - Through their **form**, the sentences themselves have a **causal influence** on the agent's behaviour in a way that is correlated with the contents of the sentences. (**syntax**)
- Interaction with the KB through **ASK** and **TELL** (simplified):  
 $ASK(KB, \alpha) = \text{yes}$  exactly when  $\alpha$  follows from the KB  
 $TELL(KB, \alpha) = KB'$  so that  $\alpha$  follows from  $KB'$   
 $FORGET(KB, \alpha) = KB'$  non-monotonic (will not be discussed)

## 3 Levels

In the context of knowledge representation, we can distinguish three levels [Newell 1990]:

**Knowledge level:** Most abstract level. Concerns the total knowledge contained in the KB. For example, the automated DB information system knows that a trip from Freiburg to Basel costs 18 €.

**Logical level:** Encoding of knowledge in a formal language.  
*Price(Freiburg, Basel, 18.00)*

**Implementation level:** The internal representation of the sentences, for example:

- As a string ‘‘Price(Freiburg, Basel, 18.00)’’
- As a value in a matrix

When **ASK** and **TELL** are working correctly, it is possible to remain on the knowledge level. Advantage: very comfortable user interface. The user has his/her own mental model of the world (statements about the world) and communicates it to the agent (**TELL**).

## A Knowledge-Based Agent

A knowledge-based agent uses its knowledge base to

- represent its background knowledge
- store its observations
- store its executed actions
- ... derive actions

**function** KB-AGENT(*percept*) **returns** an *action*

**persistent:** *KB*, a knowledge base

*t*, a counter, initially 0, indicating time

TELL(*KB*, MAKE-PERCEPT-SENTENCE(*percept*, *t*))

*action* ← ASK(*KB*, MAKE-ACTION-QUERY(*t*))

TELL(*KB*, MAKE-ACTION-SENTENCE(*action*, *t*))

*t* ← *t* + 1

**return** *action*

## The Wumpus World (1)

- A  $4 \times 4$  grid
- In the square containing the **wumpus** and in the directly adjacent squares, the agent perceives a **stench**.
- In the squares adjacent to a **pit**, the agent perceives a **breeze**.
- In the square where the **gold** is, the agent perceives a **glitter**.
- When the agent walks into a **wall**, it perceives a **bump**.
- When the wumpus is **killed**, its scream is **heard** everywhere.
- Percepts are represented as a 5-tuple, e.g.,


[*Stench*, *Breeze*, *Glitter*, *None*, *None*]

means that it stinks, there is a breeze and a glitter, but no bump and no scream. The agent **cannot** perceive its own location!

## The Wumpus World (2)

- Actions: **Go forward**, **turn right** by  $90^\circ$ , **turn left** by  $90^\circ$ , pick up an object in the same square (**grab**), **shoot** (there is only one arrow), **leave** the cave (only works in square [1,1]).
- The agent dies if it falls down a pit or meets a live wumpus.
- Initial situation: The agent is in square [1,1] facing east. Somewhere exists a **wumpus**, a pile of **gold** and **3 pits**.
- **Goal**: Find the gold and leave the cave.

## The Wumpus World (3): A Sample Configuration



## The Wumpus World (4)

[1,2] and [2,1] are safe:

1,4	2,4	3,4	4,4
1,3	2,3	3,3	4,3
1,2	2,2	3,2	4,2
OK			
1,1	2,1	3,1	4,1
A			
OK	OK		

(a)

A = Agent  
 B = Breeze  
 G = Glitter, Gold  
 OK = Safe square  
 P = Pit  
 S = Stench  
 V = Visited  
 W = Wumpus

1,4	2,4	3,4	4,4
1,3	2,3	3,3	4,3
1,2	2,2	3,2	4,2
OK	P?		
1,1	2,1	3,1	4,1
V	A	P?	
OK	B		
	OK		

(b)

## The Wumpus World (5)

The wumpus is in [1,3]!

1,4	2,4	3,4	4,4
1,3	W!	3,3	4,3
1,2	A	3,2	4,2
S			
OK	OK		
1,1	2,1	3,1	4,1
V	B	P!	
OK	V		
	OK		

(a)

A = Agent  
 B = Breeze  
 G = Glitter, Gold  
 OK = Safe square  
 P = Pit  
 S = Stench  
 V = Visited  
 W = Wumpus

1,4	2,4	3,4	4,4
	P?		
1,3	W!	2,3	4,3
	A	3,3	P?
	S	G	
	B		
1,2	S	2,2	4,2
V		V	
OK	OK	OK	
1,1	2,1	3,1	4,1
V	B	P!	
OK	V		
	OK		

(b)

## Declarative Languages

Before a system that is capable of learning, thinking, planning, explaining, ... can be built, one must find a way to **express** knowledge.

We need a precise, declarative language.

- **Declarative:** System believes P iff it considers P to be **true** (one cannot believe P without an idea of what it means for the world to fulfill P).
- **Precise:** We must know,
  - which symbols represent sentences,
  - what it means for a sentence to be true, and
  - when a sentence follows from other sentences.

One possibility: **Propositional Logic**

## Basics of Propositional Logic (1)

**Propositions:** The building blocks of propositional logic are indivisible, atomic **statements** (atomic propositions), e.g.,

- "The block is red"
- "The wumpus is in [1,3]"

and the logical connectives "and", "or", and "not", which we can use to build **formulae**.

## Basics of Propositional Logic (2)

We are interested in knowing the following:

- When is a proposition **true**?
- When does a proposition **follow** from a knowledge base (KB)?
- Symbolically:  $KB \models \varphi$
- Can we (syntactically) define the concept of **derivation**,
- Symbolically:  $KB \vdash \varphi$   
such that it is equivalent to the concept of logical implication?

→ Meaning and implementation of ASK

## Syntax of Propositional Logic

Countable alphabet  $\Sigma$  of **atomic propositions**:  $P, Q, R, \dots$

<b>Logical formulae:</b> $P \in \Sigma$	atomic formula
$\perp$	falsehood
$\top$	truth
$\neg\varphi$	negation
$\varphi \wedge \psi$	conjunction
$\varphi \vee \psi$	disjunction
$\varphi \Rightarrow \psi$	implication
$\varphi \Leftrightarrow \psi$	equivalence

Operator precedence:  $\neg > \wedge > \vee > \Rightarrow > \Leftrightarrow$ . (use brackets when necessary)

**Atom:** atomic formula

**Literal:** (possibly negated) atomic formula

**Clause:** disjunction of literals

## Semantics: Intuition

Atomic propositions can be **true** ( $T$ ) or **false** ( $F$ ).

The truth of a formula follows from the truth of its atomic propositions (**truth assignment** or **interpretation**) and the connectives.

Example:

$$(P \vee Q) \wedge R$$

- If  $P$  and  $Q$  are **false** and  $R$  is **true**, the formula is **false**
- If  $P$  and  $R$  are **true**, the formula is **true** regardless of what  $Q$  is.

## Semantics: Formally

A **truth assignment** of the atoms in  $\Sigma$ , or an **interpretation** over  $\Sigma$ , is a function

$$I : \Sigma \mapsto \{T, F\}$$

Interpretation  $I$  satisfies a formula  $\varphi$ :

$$\begin{aligned} I \models \top & \\ I \not\models \perp & \\ I \models P & \quad \text{iff } P^I = T \\ I \not\models \neg\varphi & \quad \text{iff } I \not\models \varphi \\ I \models \varphi \wedge \psi & \quad \text{iff } I \models \varphi \text{ and } I \models \psi \\ I \models \varphi \vee \psi & \quad \text{iff } I \models \varphi \text{ or } I \models \psi \\ I \models \varphi \Rightarrow \psi & \quad \text{iff } \text{if } I \models \varphi, \text{ then } I \models \psi \\ I \models \varphi \Leftrightarrow \psi & \quad \text{iff } \text{if } I \models \varphi \text{ if and only if } I \models \psi \end{aligned}$$

$I$  **satisfies**  $\varphi$  ( $I \models \varphi$ ) or  $\varphi$  is **true** under  $I$ , when  $I(\varphi) = T$ .

## Example

$$I : \begin{cases} P \mapsto T \\ Q \mapsto T \\ R \mapsto F \\ S \mapsto F \\ \dots \end{cases}$$

$$\varphi = ((P \vee Q) \Leftrightarrow (R \vee S)) \wedge (\neg(P \wedge Q) \wedge (R \wedge \neg S))$$

Question:  $I \models \varphi$ ?

## Terminology

An interpretation  $I$  is called a **model** of  $\varphi$  if  $I \models \varphi$ .

An interpretation is a **model** of a **set of formulae** if it fulfils all formulae of the set.

A formula  $\varphi$  is

- **satisfiable** if there exists  $I$  that satisfies  $\varphi$ ,
- **unsatisfiable** if  $\varphi$  is not satisfiable,
- **falsifiable** if there exists  $I$  that doesn't satisfy  $\varphi$ , and
- **valid** (a **tautology**) if  $I \models \varphi$  holds for all  $I$ .

Two formulae are

- **logically equivalent** ( $\varphi \equiv \psi$ ) if  $I \models \varphi$  iff  $I \models \psi$  holds for all  $I$ .

## The Truth Table Method

How can we decide if a formula is **satisfiable**, **valid**, etc.?

→ Generate a **truth table**

Example: Is  $\varphi = ((P \vee H) \wedge \neg H) \Rightarrow P$  valid?

$P$	$H$	$P \vee H$	$(P \vee H) \wedge \neg H$	$(P \vee H) \wedge \neg H \Rightarrow P$
$F$	$F$	$F$	$F$	$T$
$F$	$T$	$T$	$F$	$T$
$T$	$F$	$T$	$T$	$T$
$T$	$T$	$T$	$F$	$T$

Since the formula is true for all possible combinations of truth values (satisfied under all interpretations),  $\varphi$  is **valid**.

Satisfiability, falsifiability, unsatisfiability likewise.

## Normal Forms

- A formula is in **conjunctive normal form** (CNF) if it consists of a conjunction of disjunctions of literals  $l_{i,j}$ , i.e., if it has the following form:

$$\bigwedge_{i=1}^n \left( \bigvee_{j=1}^{m_i} l_{i,j} \right)$$

- A formula is in **disjunctive normal form** (DNF) if it consists of a disjunction of conjunctions of literals:

$$\bigvee_{i=1}^n \left( \bigwedge_{j=1}^{m_i} l_{i,j} \right)$$

- For every formula, there exists at least one equivalent formula in CNF and one in DNF.
- A formula in DNF is satisfiable iff one disjunct is satisfiable.
- A formula in CNF is valid iff every conjunct is valid.

## Producing CNF

1. Eliminate  $\Rightarrow$  and  $\Leftrightarrow$ :  $\alpha \Rightarrow \beta \rightarrow (\neg\alpha \vee \beta)$  etc.
2. Move  $\neg$  inwards:  $\neg(\alpha \wedge \beta) \rightarrow (\neg\alpha \vee \neg\beta)$  etc.
3. Distribute  $\vee$  over  $\wedge$ :  $((\alpha \wedge \beta) \vee \gamma) \rightarrow (\alpha \vee \gamma) \wedge (\beta \vee \gamma)$
4. Simplify:  $\alpha \vee \alpha \rightarrow \alpha$  etc.

The result is a conjunction of disjunctions of literals

An analogous process converts any formula to an equivalent formula in DNF.

- During conversion, formulae can expand *exponentially*.
- Note: Conversion to CNF formula can be done *polynomially* if only satisfiability should be preserved

## Logical Implication: Intuition

A set of formulae (a KB) usually provides an incomplete description of the world, i.e., leaves the truth values of a proposition open.

Example:  $\text{KB} = \{P \vee Q, R \vee \neg P, S\}$

is definitive with respect to  $S$ , but leaves  $P$ ,  $Q$ ,  $R$  open (although they cannot take on arbitrary values).

Models of the KB:

$P$	$Q$	$R$	$S$
$F$	$T$	$F$	$T$
$F$	$T$	$T$	$T$
$T$	$F$	$T$	$T$
$T$	$T$	$T$	$T$

In all models of the KB,  $Q \vee R$  is true, i.e.,  $Q \vee R$  follows logically from KB.

## Logical Implication: Formal

The formula  $\varphi$  follows logically from the KB if  $\varphi$  is true in all models of the KB (symbolically  $\text{KB} \models \varphi$ ):

$\text{KB} \models \varphi$  iff  $I \models \varphi$  for all models  $I$  of KB

Note: The  $\models$  symbol is a *meta-symbol*

Some properties of logical implication relationships:

- **Deduction theorem:**  $\text{KB} \cup \{\varphi\} \models \psi$  iff  $\text{KB} \models \varphi \Rightarrow \psi$
- **Contraposition theorem:**  $\text{KB} \cup \{\varphi\} \models \neg\psi$  iff  $\text{KB} \cup \{\psi\} \models \neg\varphi$
- **Contradiction theorem:**  $\text{KB} \cup \{\varphi\}$  is unsatisfiable iff  $\text{KB} \models \neg\varphi$

Question: Can we determine  $\text{KB} \models \varphi$  without considering all interpretations (the truth table method)?

## Proof of the Deduction Theorem

" $\Rightarrow$ " Assumption:  $\text{KB} \cup \{\varphi\} \models \psi$ , i.e., every model of  $\text{KB} \cup \{\varphi\}$  is also a model of  $\psi$ .

Let  $I$  be any model of KB. If  $I$  is also a model of  $\varphi$ , then it follows that  $I$  is also a model of  $\psi$ .

This means that  $I$  is also a model of  $\varphi \Rightarrow \psi$ , i.e.,  $\text{KB} \models \varphi \Rightarrow \psi$ .

" $\Leftarrow$ " Assumption:  $\text{KB} \models \varphi \Rightarrow \psi$ . Let  $I$  be any model of KB that is also a model of  $\varphi$ , i.e.,  $I \models \text{KB} \cup \{\varphi\}$ .

From the assumption,  $I$  is also a model of  $\varphi \Rightarrow \psi$  and thereby also of  $\psi$ , i.e.,  $\text{KB} \cup \{\varphi\} \models \psi$ .

## Proof of the Contraposition Theorem

$$\begin{aligned} & \text{KB} \cup \{\varphi\} \models \neg\psi \\ \text{iff } & \text{KB} \models \varphi \Rightarrow \neg\psi & (1) \\ \text{iff } & \text{KB} \models (\neg\varphi \vee \neg\psi) \\ \text{iff } & \text{KB} \models (\neg\psi \vee \neg\varphi) \\ \text{iff } & \text{KB} \models \psi \Rightarrow \neg\varphi \\ \text{iff } & \text{KB} \cup \{\psi\} \models \neg\varphi & (2) \end{aligned}$$

### Note:

(1) and (2) are applications of the deduction theorem.

## Inference Rules, Calculi, and Proofs

We can often **derive** new formulae from formulae in the KB. These new formulae should **follow logically** from the syntactical structure of the KB formulae.

**Example:** If the KB is  $\{\dots, (\varphi \Rightarrow \psi), \dots, \psi, \dots\}$  then  $\psi$  is a logical consequence of KB

→ **Inference rules**, e.g.,  $\frac{\varphi, \varphi \Rightarrow \psi}{\psi}$

**Calculus:** Set of inference rules (potentially including so-called logical axioms)

**Proof step:** Application of an inference rule on a set of formulae.

**Proof:** Sequence of proof steps where every newly-derived formula is added, and in the last step, the **goal formula** is produced.

## Soundness and Completeness

In the case where in the calculus  $C$  there is a proof for a formula  $\varphi$ , we write

$$\text{KB} \vdash_C \varphi$$

(optionally without subscript  $C$ ).

A calculus  $C$  is **sound** (or **correct**) if all formulae that are derivable from a KB actually follow logically.

$$\text{KB} \vdash_C \varphi \text{ implies } \text{KB} \models \varphi$$

This normally follows from the soundness of the inference rules and the logical axioms.

A calculus is **complete** if every formula that follows logically from the KB is also derivable with  $C$  from the KB:

$$\text{KB} \models \varphi \text{ implies } \text{KB} \vdash_C \varphi$$

## Resolution: Idea

We want a way to **derive** new formulae that does not depend on testing every interpretation.

**Idea:** We attempt to show that a set of formulae is unsatisfiable.

**Condition:** All formulae must be in CNF.

**But:** In most cases, the formulae are close to CNF (and there exists a fast satisfiability-preserving transformation - Theoretical Computer Science course).

**Nevertheless:** In the **worst case**, this derivation process requires an exponential amount of time (this is, however, probably unavoidable).

## Resolution: Representation

**Assumption:** All formulae in the KB are in CNF.

Equivalently, we can assume that the KB is a *set of clauses*.

Due to commutativity, associativity, and idempotence of  $\vee$ , **clauses** can also be understood as **sets of literals**. The **empty set of literals** is denoted by  $\square$ .

Set of clauses:  $\Delta$

Set of literals:  $C, D$

Literal:  $l$

Negation of a literal:  $\bar{l}$

An interpretation  $I$  satisfies  $C$  iff there exists  $l \in C$  such that  $I \models l$ .  $I$  satisfies  $\Delta$  if for all  $C \in \Delta : I \models C$ , i.e.,  $I \not\models \square$ ,  $I \not\models \{\square\}$ ,  $I \models \{\}$ , for all  $I$ .

## The Resolution Rule

$$\frac{C_1 \dot{\cup} \{l\}, C_2 \dot{\cup} \{\bar{l}\}}{C_1 \cup C_2}$$

$C_1 \cup C_2$  are called **resolvents** of the **parent clauses**  $C_1 \dot{\cup} \{l\}$  and  $C_2 \dot{\cup} \{\bar{l}\}$ .  $l$  and  $\bar{l}$  are the **resolution literals**.

**Example:**  $\{a, b, \neg c\}$  resolves with  $\{a, d, c\}$  to  $\{a, b, d\}$ .

**Note:** The resolvent is not equivalent to the parent clauses, but it follows from them!

**Notation:**  $R(\Delta) = \Delta \cup \{C \mid C \text{ is a resolvent of two clauses from } \Delta\}$

## Derivations

We say  $D$  can be **derived** from  $\Delta$  using resolution, i.e.,

$$\Delta \vdash D,$$

if there exist  $C_1, C_2, C_3, \dots, C_n = D$  such that

$$C_i \in R(\Delta \cup \{C_1, \dots, C_{i-1}\}), \text{ for } 1 \leq i \leq n.$$

**Lemma (soundness)** If  $\Delta \vdash D$ , then  $\Delta \models D$ .

**Proof idea:** Since all  $D \in R(\Delta)$  follow logically from  $\Delta$ , the lemma results through induction over the length of the derivation.

## Completeness?

Is resolution also complete? I.e., is

$$\Delta \models \varphi \text{ implies } \Delta \vdash \varphi$$

valid? Only for clauses. Consider:

$$\{\{a, b\}, \{\neg b, c\}\} \models \{a, b, c\} \not\models \{a, b, c\}$$

But it can be shown that resolution is **refutation-complete**:  $\Delta$  is unsatisfiable implies  $\Delta \vdash \square$

**Theorem:**  $\Delta$  is unsatisfiable iff  $\Delta \vdash \square$

With the help of the contradiction theorem, we can show that  $\text{KB} \models \varphi$ .



## Resolution: Overview

- Resolution is a refutation-complete proof process. There are others (Davis-Putnam Procedure, Tableaux Procedure, ...).
- In order to implement the process, a **strategy** must be developed to determine which resolution steps will be executed and when.
- In the worst case, a resolution proof can take exponential time. This, however, very probably holds for all other proof procedures.
- For CNF formulae in propositional logic, the Davis-Putnam Procedure (backtracking over all truth values) is probably (in practice) the fastest complete process that can also be taken as a type of resolution process.

## Where is the Wumpus? The Situation

1,4	2,4	3,4	4,4	<b>A</b> = Agent <b>B</b> = Breeze <b>G</b> = Glitter, Gold <b>OK</b> = Safe square <b>P</b> = Pit <b>S</b> = Stench <b>V</b> = Visited <b>W</b> = Wumpus
1,3 <b>W!</b>	2,3	3,3	4,3	
1,2 <b>A</b> <b>S</b> <b>OK</b>	2,2 <b>OK</b>	3,2	4,2	
1,1 <b>V</b> <b>OK</b>	2,1 <b>B</b> <b>V</b> <b>OK</b>	3,1 <b>P!</b>	4,1	

## Where is the Wumpus? Knowledge of the Situation

$B = \text{Breeze}$ ,  $S = \text{Stench}$ ,  $B_{i,j} = \text{there is a breeze in } (i, j)$

$\neg S_{1,1} \quad \neg B_{1,1}$

$\neg S_{2,1} \quad B_{2,1}$

$S_{1,2} \quad \neg B_{1,2}$

Knowledge about the wumpus and smell:

$R_1 : \neg S_{1,1} \Rightarrow \neg W_{1,1} \wedge \neg W_{1,2} \wedge \neg W_{2,1}$

$R_2 : \neg S_{2,1} \Rightarrow \neg W_{1,1} \wedge \neg W_{2,1} \wedge \neg W_{2,2} \wedge \neg W_{3,1}$

$R_3 : \neg S_{1,2} \Rightarrow \neg W_{1,1} \wedge \neg W_{1,2} \wedge \neg W_{2,2} \wedge \neg W_{1,3}$

$R_4 : S_{1,2} \Rightarrow W_{1,3} \vee W_{1,2} \vee W_{2,2} \vee W_{1,1}$

To show:  $\text{KB} \models W_{1,3}$

## Clausal Representation of the Wumpus World

Situational knowledge:

$\neg S_{1,1}, \neg S_{2,1}, \neg S_{1,2}$

Knowledge of rules:

Knowledge about the wumpus and smell:

$R_1 : S_{1,1} \vee \neg W_{1,1}, S_{1,1} \vee \neg W_{1,2}, S_{1,1} \vee \neg W_{2,1}$

$R_2 : \dots, S_{2,1} \vee \neg W_{2,2}, \dots$

$R_3 : \dots$

$R_4 : \neg S_{1,2} \vee W_{1,3} \vee W_{1,2} \vee W_{2,2} \vee W_{1,1}$

...

Negated goal formula:  $\neg W_{1,3}$

## Resolution Proof for the Wumpus World

Resolution:

$$\neg W_{1,3}, \neg S_{1,2} \vee W_{1,3} \vee W_{1,2} \vee W_{2,2} \vee W_{1,1}$$

$$\rightarrow \neg S_{1,2} \vee W_{1,2} \vee W_{2,2} \vee W_{1,1}$$

$$S_{1,2}, \neg S_{1,2} \vee W_{1,2} \vee W_{2,2} \vee W_{1,1}$$

$$\rightarrow W_{1,2} \vee W_{2,2} \vee W_{1,1}$$

$$\neg S_{1,1}, S_{1,1} \vee \neg W_{1,1}$$

$$\rightarrow \neg W_{1,1}$$

$$\neg W_{1,1}, W_{1,2} \vee W_{2,2} \vee W_{1,1}$$

$$\rightarrow W_{1,2} \vee W_{2,2}$$

...

$$\neg W_{2,2}, W_{2,2}$$

$$\rightarrow \square$$

## From Knowledge to Action

We can now infer new facts, but how do we translate knowledge into action?

**Negative selection:** Excludes any provably dangerous actions.

$$A_{1,1} \wedge East_A \wedge W_{2,1} \Rightarrow \neg Forward$$

**Positive selection:** Only suggests actions that are provably safe.

$$A_{1,1} \wedge East_A \wedge \neg W_{2,1} \Rightarrow Forward$$

Differences?

From the suggestions, we must still select an action.

## Problems with Propositional Logic

Although propositional logic suffices to represent the wumpus world, it is rather involved.

**Rules** must be set up for each square.

$$R_1 : \neg S_{1,1} \Rightarrow \neg W_{1,1} \wedge \neg W_{1,2} \wedge \neg W_{2,1}$$

$$R_2 : \neg S_{2,1} \Rightarrow \neg W_{1,1} \wedge \neg W_{2,1} \wedge \neg W_{2,2} \wedge \neg W_{3,1}$$

$$R_3 : \neg S_{1,2} \Rightarrow \neg W_{1,1} \wedge \neg W_{1,2} \wedge \neg W_{2,2} \wedge \neg W_{1,3}$$

...

We need a time index for each proposition to represent the validity of the proposition over time  $\rightarrow$  further expansion of the rules.

$\rightarrow$  More powerful logics exist, in which we can use object variables.

$\rightarrow$  First-Order Predicate Logic

## Summary

- Rational agents require **knowledge** of their world in order to make rational decisions.
- With the help of a **declarative** (knowledge-representation) language, this knowledge is represented and stored in a **knowledge base**.
- We use **propositional logic** for this (for the time being).
- Formulae of propositional logic can be **valid**, **satisfiable**, or **unsatisfiable**.
- The concept of **logical implication** is important.
- Logical implication can be mechanized by using an **inference calculus**  $\rightarrow$  **resolution**.
- Propositional logic quickly becomes impractical when the world becomes too large (or infinite).