

# Foundations of Artificial Intelligence

## 10. Knowledge Representation: Modeling with Logic

Concepts, Actions, Time, & All the Rest

Wolfram Burgard, Bernhard Nebel, and Martin Riedmiller



Albert-Ludwigs-Universität Freiburg

June 20, 2012

## Contents

- 1 Knowledge Representation and Reasoning
- 2 Concepts & Description Logics
- 3 Logical Agents for the WUMPUS World
- 4 Situation Calculus
- 5 The Frame Problem
- 6 Time Intervals and Their Description


## Knowledge Representation and Reasoning

- Often, our agents need **knowledge** before they can start to act intelligently
- They then also need some **reasoning component** to exploit the knowledge they have
- Examples:
  - Knowledge about the important **concepts** in a domain
  - Knowledge about **actions** one can perform in a domain
  - Knowledge about **temporal relationships** between events
  - Knowledge about the world and how properties are related to actions

## Categories and Objects

- We need to describe the objects in our world using **categories**
- Necessary to establish a common category system for different applications (in particular on the web)
- There are a number of quite general categories everybody and every application uses

## The Upper Ontology: A General Category Hierarchy



## Description Logics

- How to describe more specialized things?
- Use definitions and/or necessary conditions referring to other already defined *concepts*:  
*A parent is a human with at least one child.*
- More complex description:  
*A proud-grandmother is a human, which is female with at least two children that are in turn parents whose children are all doctors.*

## Reasoning Services in Description Logics

Typical questions of interest:

- **Subsumption**: Determine whether one description is more general than (subsumes) the other
- **Classification**: Create a subsumption hierarchy
- **Satisfiability**: Is a description satisfiable?
- **Instance relationship**: Is a given object instance of a concept description?
- **Instance retrieval**: Retrieve all objects for a given concept description

## Special Properties of Description Logics

- Semantics of description logics (DLs) can be given using ordinary PL1
- Alternatively, DLs can be considered as modal logics
- Reasoning for most DLs is much more efficient than for PL1
- Nowadays, W3C standards such as OWL (formerly DAML+OIL) are based on description logics

## Logic-Based Agents That Act

**function**  $\text{KB-AGENT}(\text{percept})$  **returns** an *action*

**persistent:**  $KB$ , a knowledge base  
 $t$ , a counter, initially 0, indicating time

$\text{TELL}(KB, \text{MAKE-PERCEPT-SENTENCE}(\text{percept}, t))$

$\text{action} \leftarrow \text{ASK}(KB, \text{MAKE-ACTION-QUERY}(t))$

$\text{TELL}(KB, \text{MAKE-ACTION-SENTENCE}(\text{action}, t))$

$t \leftarrow t + 1$

**return** *action*

Query ( $\text{MAKE-ACTION-QUERY}$ ):  $\exists x \text{Action}(x, t)$

A variable assignment for  $x$  in the WUMPUS world example should give the following answers: *turn(right)*, *turn(left)*, *forward*, *shoot*, *grab*, *release*, *climb*.

## Reflex Agents

... only react to percepts.

Example of a percept statement (at time 5):

$\text{Percept}(\text{stench}, \text{breeze}, \text{glitter}, \text{none}, \text{none}, 5)$

1.  $\forall b, g, u, c, t [\text{Percept}(\text{stench}, b, g, u, c, t) \Rightarrow \text{Stench}(t)]$

$\forall s, g, u, c, t [\text{Percept}(s, \text{breeze}, g, u, c, t) \Rightarrow \text{Breeze}(t)]$

$\forall s, b, g, u, c, t [\text{Percept}(s, b, \text{glitter}, u, c, t) \Rightarrow \text{AtGold}(t)]$

...

2. Step: Choice of action

$\forall t [\text{AtGold}(t) \Rightarrow \text{Action}(\text{grab}, t)]$

...

**Note:** Our reflex agent does not know when it should climb out of the cave and cannot avoid an infinite loop.

## Model-Based Agents

... have an internal model

- of all basic aspects of their environment,
- of the executability and effects of their actions,
- of further basic laws of the world, and
- of their own goals.

Important aspect: How does the world change?

→ **Situation calculus:** (McCarthy, 63).

## Situation Calculus

- A way to describe **dynamic worlds** with PL1.
- **States** are represented by terms.
- The world is in state  $s$  and can only be altered through the execution of an **action**:  $\text{do}(a, s)$  is the **resulting situation**, if  $a$  is executed.
- Actions have **preconditions** and are described by their **effects**.
- Relations whose truth value changes over time are called **fluents**.  
Represented through a predicate with two arguments: the fluent and a state term. For example,  $\text{At}(x, s)$  means, that in situation  $s$ , the agent is at position  $x$ .  $\text{Holding}(y, s)$  means that in situation  $s$ , the agent holds object  $y$ .
- **Atemporal** or **eternal** predicates, e.g.,  $\text{Portable}(\text{gold})$ .


## Example: WUMPUS-World

Let  $s_0$  be the initial situation  
and

$s_1 = do(forward, s_0)$

$s_2 = do(turn(right), s_1)$

$s_3 = do(forward, s_2)$



## Description of Actions

**Preconditions:** In order to pick something up, it must be both present and portable:

$$\forall x, s [Poss(grab(x), s) \Leftrightarrow Present(x, s) \wedge Portable(x)]$$

In the WUMPUS-World:

$$Portable(gold), \forall s [AtGold(s) \Rightarrow Present(gold, s)]$$

**Positive effect axiom:**

$$\forall x, s [Poss(grab(x), s) \Rightarrow Holding(x, do(grab(x), s))]$$

**Negative effect axiom:**

$$\forall x, s \neg Holding(x, do(release(x), s))$$

## The Frame Problem

We had:  $Holding(gold, s_0)$ .

Following situation:  $\neg Holding(gold, do(release(gold), s_0))$ ?

We had:  $\neg Holding(gold, s_0)$ .

Following situation:  $\neg Holding(gold, do(turn(right), s_0))$ ?

- We must also specify which *fluents* remain unchanged!
- The frame problem: **Specification of the properties that *do not* change as a result of an action.**

→ **Frame axioms** must also be specified.

## Number of Frame Axioms

$$\forall a, x, s [Holding(x, s) \wedge (a \neq release(x)) \Rightarrow Holding(x, do(a, s))]$$

$$\forall a, x, s [\neg Holding(x, s) \wedge \{(a \neq grab(x)) \vee \neg Poss(grab(x), s)\} \Rightarrow \neg Holding(x, do(a, s))]$$

Can be very expensive in some situations, since  $O(|F| \times |A|)$  axioms must be specified,  $F$  being the set of fluents and  $A$  being the set of actions.

## Successor-State Axioms

A more **elegant way** to solve the frame problem is to **fully describe the successor situation**:

*true* after action

$\Leftrightarrow$  [ action made it true or, already true and the action did not *falsify* it ]

Example for *grab*:

$\forall a, x, s[ \text{Holding}(x, \text{do}(a, s))$

$\Leftrightarrow \{ (a = \text{grab}(x) \wedge \text{Poss}(a, s)) \vee (\text{Holding}(x, s) \wedge a \neq \text{release}(x)) \}$

Can also be automatically compiled by only giving the effect axioms (and then applying **explanation closure**). Here we suppose that only certain effects can appear.

## Limits of this Version of Situation Calculus

- No explicit **time**. We cannot discuss how long an action will require, if it is executed.
  - **Only one agent**. In principle, however, several agents can be modeled.
  - **No parallel** execution of actions.
  - **Discrete situations**. No continuous actions, such as moving an object from A to B.
  - **Closed world**. Only the agent changes the situation.
  - **Determinism**. Actions are always executed with absolute certainty.
- Nonetheless, sufficient for many situations.

## Qualitative Descriptions of Temporal Relationships


We can describe the temporal occurrence of event/actions:

- **absolute** by using a date/time system
- **relative** with respect to other event occurrences
- **quantitatively**, using time measurements (5 secs)
- **qualitatively**, using comparisons (before/overlaps)

## Allen's Interval Calculus

- Allen proposed a calculus about **relative order** of *time intervals*
  - Allows us to describe, e.g.,
    - Interval *I* **occurs before** interval *J*
    - Interval *J* **occurs before** interval *K*
  - and to conclude
    - Interval *I* **occurs before** interval *K*
- 13 jointly exhaustive and pair-wise disjoint relations between intervals

## Allen's 13 Interval Relation



## Examples

- Using Allen's relation system one can describe temporal configurations as follows:

$$X < Y, Y o Z, Z > X$$

- One can also use disjunctions (unions) of temporal relations:

$$X(<, m)Y, Y(o, s)Z, Z > X$$


## Reasoning in Allen's Relations System

How do we reason in Allen's system

- Checking whether a set of formulae is **satisfiable**
- Checking whether a temporal formula **follows logically**

→ Use a **constraint propagation technique** for CSPs with infinite domains (3-consistency), based on *composing relations*

## Constraint Propagation



$$X < Y s Z = X Z$$

$$X < Y o Z = X Z$$

$$X m Y s Z = X Z$$

$$X m Y o Z = X Z$$

Do that for every triple until nothing changes anymore, then CSP is 3-consistent

- In many (but not all) cases, full inference in PL1 is simply too slow (and therefore too unreliable).
  - Often, special (logic-based) representational formalisms are designed for specific applications, for which specific inference procedures can be used. Examples:
    - Description logics for representing conceptual knowledge.
    - James Allen's time interval calculus for representing qualitative temporal knowledge.
    - Planning: Instead of situation calculus, this is a specialized calculus (STRIPS) that allows us to address the frame problem.
- Generality vs. efficiency
- In every case, logical semantics is important!