

# Introduction to Mobile Robotics

## Probabilistic Robotics

Wolfram Burgard, Diego Tipaldi



# Probabilistic Robotics

## Key idea:

**Explicit representation of uncertainty**

(using the calculus of probability theory)

- Perception = state estimation
- Action = utility optimization


# Axioms of Probability Theory

$P(A)$  denotes probability that proposition  $A$  is true.

- $0 \leq P(A) \leq 1$
- $P(\textit{True}) = 1$                        $P(\textit{False}) = 0$
- $P(A \vee B) = P(A) + P(B) - P(A \wedge B)$

# A Closer Look at Axiom 3

$$P(A \vee B) = P(A) + P(B) - P(A \wedge B)$$



# Using the Axioms

$$P( A \vee \neg A ) = P( A ) + P( \neg A ) - P( A \wedge \neg A )$$

$$P( \textit{True} ) = P( A ) + P( \neg A ) - P( \textit{False} )$$

$$1 = P( A ) + P( \neg A ) - 0$$

$$P( \neg A ) = 1 - P( A )$$

# Discrete Random Variables


- $X$  denotes a **random variable**
- $X$  can take on a countable number of values in  $\{x_1, x_2, \dots, x_n\}$
- $P(X=x_i)$  or  $P(x_i)$  is the **probability** that the random variable  $X$  takes on value  $x_i$
- $P(\cdot)$  is called **probability mass function**
- E.g.  $P(\text{Room}) = \langle 0.7, 0.2, 0.08, 0.02 \rangle$

# Continuous Random Variables

- $X$  takes on values in the continuum.
- $p(X=x)$  or  $p(x)$  is a **probability density function**

$$P(x \in [a, b]) = \int_a^b p(x) dx$$

- E.g.



# “Probability Sums up to One”

**Discrete case**

$$\sum_x P(x) = 1$$

**Continuous case**

$$\int p(x)dx = 1$$



# Joint and Conditional Probability

- $P(X=x \text{ and } Y=y) = P(x,y)$
- If X and Y are **independent** then
$$P(x,y) = P(x) P(y)$$
- $P(x | y)$  is the probability of **x given y**
$$P(x | y) = P(x,y) / P(y)$$
$$P(x,y) = P(x | y) P(y)$$
- If X and Y are **independent** then
$$P(x | y) = P(x)$$

# Law of Total Probability

**Discrete case**

$$P(x) = \sum_y P(x | y)P(y)$$

**Continuous case**

$$p(x) = \int p(x | y) p(y) dy$$

# Marginalization

## Discrete case

$$P(x) = \sum_y P(x, y)$$

## Continuous case

$$p(x) = \int p(x, y) dy$$

# Bayes Formula

$$P(x, y) = P(x | y)P(y) = P(y | x)P(x)$$

$\Rightarrow$

$$P(x|y) = \frac{P(y|x)P(x)}{P(y)} = \frac{\text{likelihood} \cdot \text{prior}}{\text{evidence}}$$

# Normalization

$$P(x|y) = \frac{P(y|x)P(x)}{P(y)} = \eta P(y|x)P(x)$$

$$\eta = P(y)^{-1} = \frac{1}{\sum_x P(y|x)P(x)}$$

## Algorithm:

$$\forall x : \text{aux}_{x|y} = P(y|x)P(x)$$

$$\eta = \frac{1}{\sum_x \text{aux}_{x|y}}$$

$$\forall x : P(x|y) = \eta \text{aux}_{x|y}$$

# Bayes Rule with Background Knowledge

$$P(x | y, z) = \frac{P(y | x, z)P(x | z)}{P(y | z)}$$

# Conditional Independence

$$P(x, y \mid z) = P(x \mid z)P(y \mid z)$$

- Equivalent to  $P(x \mid z) = P(x \mid z, y)$

and  $P(y \mid z) = P(y \mid z, x)$


- But this does not necessarily mean

$$P(x, y) = P(x)P(y)$$

(independence/marginal independence)

# Simple Example of State Estimation

- Suppose a robot obtains measurement  $z$
- What is  $P(open|z)$ ?





# Causal vs. Diagnostic Reasoning

- $P(open|z)$  is **diagnostic**
- $P(z|open)$  is **causal**
- Often **causal** knowledge is easier to obtain **count frequencies!**
- Bayes rule allows us to use causal knowledge:

$$P(open | z) = \frac{P(z | open) P(open)}{P(z)}$$

# Example

- $P(z/open) = 0.6$        $P(z/\neg open) = 0.3$
- $P(open) = P(\neg open) = 0.5$

$$P(open | z) = \frac{P(z | open)P(open)}{P(z | open)p(open) + P(z | \neg open)p(\neg open)}$$

$$P(open | z) = \frac{0.6 \cdot 0.5}{0.6 \cdot 0.5 + 0.3 \cdot 0.5} = \frac{0.3}{0.3 + 0.15} = 0.67$$

- $z$  raises the probability that the door is open

# Combining Evidence

- Suppose our robot obtains another observation  $z_2$
- How can we integrate this new information?
- More generally, how can we estimate  $P(x \mid z_1, \dots, z_n)$ ?

# Recursive Bayesian Updating

$$P(x | z_1, \dots, z_n) = \frac{P(z_n | x, z_1, \dots, z_{n-1})P(x | z_1, \dots, z_{n-1})}{P(z_n | z_1, \dots, z_{n-1})}$$

## Markov assumption:

$z_n$  is independent of  $z_1, \dots, z_{n-1}$  if we know  $x$

$$\begin{aligned} P(x | z_1, \dots, z_n) &= \frac{P(z_n | x)P(x | z_1, \dots, z_{n-1})}{P(z_n | z_1, \dots, z_{n-1})} \\ &= \eta P(z_n | x)P(x | z_1, \dots, z_{n-1}) \\ &= \eta_{1\dots n} \left[ \prod_{i=1\dots n} P(z_i | x) \right] P(x) \end{aligned}$$

# Example: Second Measurement


- $P(z_2/open) = 0.25$                        $P(z_2/\neg open) = 0.3$
- $P(open/z_1) = 2/3$

$$\begin{aligned} P(open \mid z_2, z_1) &= \frac{P(z_2 \mid open)P(open \mid z_1)}{P(z_2 \mid open)P(open \mid z_1) + P(z_2 \mid \neg open)P(\neg open \mid z_1)} \\ &= \frac{\frac{1}{4} \cdot \frac{2}{3}}{\frac{1}{4} \cdot \frac{2}{3} + \frac{3}{10} \cdot \frac{1}{3}} = \frac{\frac{1}{6}}{\frac{1}{6} + \frac{1}{10}} = \frac{\frac{1}{6}}{\frac{4}{15}} = \frac{5}{8} = 0.625 \end{aligned}$$

- $z_2$  lowers the probability that the door is open

# A Typical Pitfall

- Two possible locations  $x_1$  and  $x_2$
- $P(x_1) = 0.99$
- $P(z|x_2) = 0.09$   $P(z|x_1) = 0.07$



# Actions

- Often the world is **dynamic** since
  - **actions carried out by the robot,**
  - **actions carried out by other agents,**
  - or just the **time** passing bychange the world
  
- How can we **incorporate** such **actions**?

# Typical Actions

- The robot **turns its wheels** to move
- The robot **uses its manipulator** to grasp an object
- Plants grow over **time...**
  
- Actions are **never carried out with absolute certainty**
- In contrast to measurements, **actions generally increase the uncertainty**




# Modeling Actions

- To incorporate the outcome of an action  $u$  into the current “belief”, we use the conditional pdf

$$P(x|u,x')$$


- This term specifies the pdf that **executing  $u$  changes the state from  $x'$  to  $x$ .**

# Example: Closing the door



# State Transitions

$P(x|u, x')$  for  $u =$  “close door”:



If the door is open, the action “close door” succeeds in 90% of all cases

# Integrating the Outcome of Actions

Continuous case:

$$P(x | u) = \int P(x | u, x') P(x') dx'$$

Discrete case:

$$P(x | u) = \sum P(x | u, x') P(x')$$

Assumption:

$$P(x' | u) = P(x')$$

# Example: The Resulting Belief

$$\begin{aligned}P(\textit{closed} \mid u) &= \sum P(\textit{closed} \mid u, x')P(x') \\ &= P(\textit{closed} \mid u, \textit{open})P(\textit{open}) \\ &\quad + P(\textit{closed} \mid u, \textit{closed})P(\textit{closed}) \\ &= \frac{9}{10} * \frac{5}{8} + \frac{1}{1} * \frac{3}{8} = \frac{15}{16}\end{aligned}$$

$$\begin{aligned}P(\textit{open} \mid u) &= \sum P(\textit{open} \mid u, x')P(x') \\ &= P(\textit{open} \mid u, \textit{open})P(\textit{open}) \\ &\quad + P(\textit{open} \mid u, \textit{closed})P(\textit{closed}) \\ &= \frac{1}{10} * \frac{5}{8} + \frac{0}{1} * \frac{3}{8} = \frac{1}{16} \\ &= 1 - P(\textit{closed} \mid u)\end{aligned}$$

# Bayes Filters: Framework

- **Given:**

- Stream of observations  $z$  and action data  $u$ :

$$d_t = \{u_1, z_1, \dots, u_t, z_t\}$$


- **Sensor model**  $P(z|x)$
- **Action model**  $P(x|u, x')$
- **Prior** probability of the system state  $P(x)$

- **Wanted:**

- Estimate of the state  $X$  of a **dynamical system**
- The posterior of the state is also called **Belief**:

$$Bel(x_t) = P(x_t | u_1, z_1, \dots, u_t, z_t)$$

# Markov Assumption



$$p(z_t | x_{1:t}, z_{1:t-1}, u_{1:t}) = p(z_t | x_t)$$

$$p(x_t | x_{1:t-1}, z_{1:t-1}, u_{1:t}) = p(x_t | x_{t-1}, u_t)$$

## Underlying Assumptions

- Static world
- Independent noise
- Perfect model, no approximation errors

$z$  = observation  
 $u$  = action  
 $x$  = state

# Bayes Filters

$$\boxed{Bel(x_t)} = P(x_t | u_1, z_1, \dots, u_t, z_t)$$

**Bayes**  $= \eta P(z_t | x_t, u_1, z_1, \dots, u_t) P(x_t | u_1, z_1, \dots, u_t)$

**Markov**  $= \eta P(z_t | x_t) P(x_t | u_1, z_1, \dots, u_t)$

**Total prob.**  $= \eta P(z_t | x_t) \int P(x_t | u_1, z_1, \dots, u_t, x_{t-1})$   
 $P(x_{t-1} | u_1, z_1, \dots, u_t) dx_{t-1}$

**Markov**  $= \eta P(z_t | x_t) \int P(x_t | u_t, x_{t-1}) P(x_{t-1} | u_1, z_1, \dots, u_t) dx_{t-1}$

**Markov**  $= \eta P(z_t | x_t) \int P(x_t | u_t, x_{t-1}) P(x_{t-1} | u_1, z_1, \dots, z_{t-1}) dx_{t-1}$

$$\boxed{= \eta P(z_t | x_t) \int P(x_t | u_t, x_{t-1}) Bel(x_{t-1}) dx_{t-1}}$$







$$Bel(x_t) = \eta P(z_t | x_t) \int P(x_t | u_t, x_{t-1}) Bel(x_{t-1}) dx_{t-1}$$

1. Algorithm **Bayes\_filter**( $Bel(x), d$ ):
2.  $\eta = 0$
3. If  $d$  is a perceptual data item  $z$  then
  4. For all  $x$  do
  5.  $Bel'(x) = P(z | x) Bel(x)$
  6.  $\eta = \eta + Bel'(x)$
  7. For all  $x$  do
  8.  $Bel'(x) = \eta^{-1} Bel'(x)$
9. Else if  $d$  is an action data item  $u$  then
  10. For all  $x$  do
  11.  $Bel'(x) = \int P(x | u, x') Bel(x') dx'$
12. Return  $Bel'(x)$

# Probabilistic Localization

$$Bel(x | z, u) = \alpha p(z | x) \int_{x'} p(x | u, x') Bel(x') dx'$$



# Bayes Filters are Familiar!

$$Bel(x_t) = \eta P(z_t | x_t) \int P(x_t | u_t, x_{t-1}) Bel(x_{t-1}) dx_{t-1}$$

- Kalman filters
- Particle filters
- Hidden Markov models
- Dynamic Bayesian networks
- Partially Observable Markov Decision Processes (POMDPs)

# Summary

- Bayes rule allows us to compute probabilities that are hard to assess otherwise.
- Under the Markov assumption, recursive Bayesian updating can be used to efficiently combine evidence.
- Bayes filters are a probabilistic tool for estimating the state of dynamic systems.